

**DR. ALFRED MÜLLER**  
**METEOROLOGISCHE INSTRUMENTE KG**  
**R. FUESS**

## BAROMETRIC PRESSURE SENSOR


**S 470**

Setra Models 470 offer extremely high accuracy and unmatched stability in a digital output configuration. It is used as the barometric standard in Automated Surface Observation Systems (worldwide) where accuracy, stability and versatility are essential.



### Specification

Barometric ranges	: 600 to 1100 hPa or 800 to 1100 hPa
Accuracy	: 0.1 hPa
Resolution	: 0.01hPa
Long-term stability	: $\pm 0,05\%$ FS in 1 year in the measuring range
Digital Output	: bidirectional RS-232 I/O Port
Operating Temperature	: -20 to +50°C
Supply Voltage	: 5 VDC $\pm 1\%$
Pressure Fittings	: Barbed Fitting for 1/8" I.D. Tubing
Pressure Connection	: 10-32 Internal Thread
Electrical Connections	
Excitation	: DB-9S, (9 Pin D-Subminiature Female): Pin: 3 GRD, 9 + 5 VDC
Communications	: DB-9S, (9 Pin D-Subminiature Male): Pin: 2 TXD, 3 RSX, 5 GRD
Operating Power	: 5 VDC $\pm 1\%$ , 70 mA max.



**DR. ALFRED MÜLLER**  
**METEOROLOGISCHE INSTRUMENTE KG**  
Chausseestraße 39 / 42c  
D-15712 Königs Wusterhausen

**Tel.:** +49 3375 9025-32  
**Fax:** +49 3375 9025-36  
**e-mail:** dr.a.mueller-r.fuess@t-online.de  
**www.rfuess-mueller.de**